

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	110	396/200.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/30 09:54
S2	12	396/200.ccls. and (diode or LED)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/29 16:18
S3	12	396/200.ccls. and (diode or LED or "L.E.D.")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/29 16:18
S4	1	((("20020025157") or ("2002116481")).PN.	USPAT; USOCR; JPO	OR	OFF	2005/08/30 09:01
S5	2	((("20020025157") or ("2002116481")).PN.	US-PGPUB; USPAT; USOCR; JPO	OR	OFF	2005/08/30 09:17
S6	183	396/182.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/30 09:56
S7	49	396/182.ccls. and (LED or diode or "L.E.D.")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/30 10:20
S8	50	396/542.ccls. and (LED or diode or "L.E.D.")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/30 10:21
S9	18	396/542.ccls. and (LED or diode or "L.E.D.") and (flash strobe)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/30 10:29

S10	1095	396/155.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/30 10:29
S11	102	396/155.ccls. and (LED or diode or "L.E.D.") and (flash strobe)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/30 15:52
S12	406	(diode or LED or "L.E.D.") and (flash strobe) and (gold near plat\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/30 11:57
S13	285	((emitting near diode) or LED or "L. E.D.") and (flash strobe) and (gold near plat\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/30 11:58
S14	3282	((emitting near diode) or LED or "L. E.D.") and camera and (circuit near board)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/30 11:59
S15	1295	((emitting near diode) or LED or "L. E.D.") and camera and (circuit near board) and (flash strobe)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/30 11:59
S16	902	((emitting near diode) or LED or "L. E.D.") and camera and (circuit near board) and (flash strobe) and reflect\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/30 12:43
S17	223	((((emitting near diode) or LED or "L.E.D.") and (flash strobe)).ti.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/31 14:05

S18	25	396/155.ccls. and (LED or diode or "L.E.D.") and (flash strobe) and (red green blue)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/30 15:53
S19	5	396/155.ccls. and (LED or diode or "L.E.D.") and (flash strobe) and red and green and blue	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/31 09:07
S20	5	396/155.ccls. and (LED or diode or "L.E.D.") and red and green and blue	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/31 10:35
S21	2059	(LED or diode or "L.E.D.") and (flash strobe) and red and green and blue and camera	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/31 09:07
S22	1788	(LED or (emitting near diode) or "L. E.D.") and (flash strobe) and red and green and blue and camera	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/31 09:08
S23	320	(LED or (emitting near diode) or "L. E.D.") and (flash strobe) and red and green and blue and camera and radial\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/31 09:10
S24	1	(LED or (emitting near diode) or "L. E.D.").ti. and (flash strobe) and red and green and blue and camera and radial\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/31 09:10
S25	32	(LED or (emitting near diode) or "L. E.D.").ti. and (flash strobe) and red and green and blue and camera	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/31 12:18

S26	21	((LED or (emitting near diode) or "L.E.D.") and camera).ab. and (flash strobe) and red and green and blue	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/31 09:39
S27	0	("2003147821").PN.	USPAT; USOCR	OR	OFF	2005/08/31 09:31
S28	2	"2003147821"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/31 09:32
S29	2	"2003-147821"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/31 09:32
S30	320	((LED or (emitting near diode) or "L.E.D.")).ab. and (flash strobe) and red and green and blue	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/31 09:53
S31	79	((LED or (emitting near diode) or "L.E.D.")).ab. and (flash strobe) and red and green and blue and ring	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/31 12:19
S32	0	("2003021651").PN.	USPAT; USOCR	OR	OFF	2005/08/31 10:35
S33	0	("20030216151").PN.	USPAT; USOCR	OR	OFF	2005/08/31 10:36
S34	1	("20030216151").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/08/31 10:36
S35	212	((emitting near diode) or LED or "L.E.D.") and (flash strobe) and reflect\$4).ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/31 11:52
S36	350	348/370-375.ccls. and ((emiting near diode) or LED or "L.E.D.")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/31 12:06

S37	603	((LED or (emitting near diode) or "L.E.D.") and (light strobe)).ti. and camera	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/31 12:19
S38	437	((LED or (emitting near diode) or "L.E.D.") and (light strobe)).ti. and camera.ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/31 12:31
S39	23620	((LED or (emitting near diode) or "L.E.D.") and (light strobe)).ti.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/31 12:32
S40	128	((LED or (emitting near diode) or "L.E.D.") and (light strobe) and red and green and blue).ti.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/31 12:40
S41	13	((LED or (emitting near diode) or "L.E.D.") and (light strobe) and red and green and blue).ti. and reflect\$4.ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/31 12:39
S42	13	((LED or (emitting near diode) or "L.E.D.") and (light strobe) and red and green and blue).ti. and reflect\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/31 12:39
S43	15	((LED or (emitting near diode) or "L.E.D.") and red and green and blue).ti. and reflect\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/31 12:42
S45	5019	((LED or (emitting near diode) or "L.E.D.")).ti. and reflect\$4.ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/31 12:43

S46	2148	((LED or (emitting near diode) or "L.E.D.") and reflect\$4).ti.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/31 12:43
S47	29	((LED or (emitting near diode) or "L.E.D.") and reflect\$4).ti. and red and green and blue	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/31 15:27
S48	155	362/3-18.ccls. and ((emitting near diode) or LED or "L.E.D.")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/31 14:21
S49	780	((emitting near diode) or LED or "L.E.D.") near (circuit adj board)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/31 14:21
S50	99	((emitting near diode) or LED or "L.E.D.") near (circuit adj board)) same reflect\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/31 14:22
S51	11	("4947291" "4963798" "5038255" "5390092" "5580163" "5632551" "5765940" "5782555" "5785418" "5857767" "6045240").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/08/31 14:45
S52	268	(LED or (emitting near diode) or "L.E.D.") and reading adj (light lamp) and red and green and blue	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/31 15:34
S53	5	((LED or (emitting near diode) or "L.E.D.") and reading adj (light lamp) and red and green and blue).ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/31 15:29
S54	12	(LED or (emitting near diode) or "L.E.D.").ti. and reading adj (light lamp) and red and green and blue	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/31 15:37

S55	112	(LED or (emitting near diode) or "L. E.D.") and reading adj (light lamp) and (red near green near blue)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/31 16:17
S56	0	white near surface near mount near LED	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/31 16:18
S57	0	white near surface near mount\$2 near LED	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/31 16:19
S58	0	"white surface mounted LED"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/31 16:21
S59	0	"white surface-mounted LED"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/31 16:21
S60	2	white near "surface-mounted" and LED	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/31 16:22
S61	3	white near "surface mounted" and LED	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/31 16:24
S62	40	white near chip near LED	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/31 16:29

S63	40	white near chip near LED	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/31 16:29
-----	----	--------------------------	---	----	-----	------------------